

FIG. 1

Title: Methods and apparatus for using SCTP to provide mobility of a network device Docket No. CISCP226/4185 Page 2 of 9
Elise R. Heilbrunn

(510) 663-1100

SCTP Common Header Format

Source port number <u>202</u>	Destination port number 204
Verification tag <u>206</u>	
Checksum <u>208</u>	

FIG. 2





FIG. 3



Title: Methods and apparatus for using SCTP to provide mobility of a network device Docket No. CISCP226/4185 Page 3 of 9

Elise R. Heilbrunn




FIG. 5 PRIOR ART



Title: Methods and apparatus for using SCTP to provide mobility of a network device Docket No. CISCP226/4185

Page 4 of 9 Elise R. Heilbrunn




FIG. 6

Title: Methods and apparatus for using SCTP to provide mobility of a network device Docket No. CISCP226/4185
Page 5 of 9

Elise R. Heilbrunn




FIG. 7

Title: Methods and apparatus for using SCTP to provide mobility of a network device Docket No. CISCP226/4185
Page 6 of 9

Elise R. Heilbrunn (510) 663-1100





FIG. 8

Title: Methods and apparatus for using SCTP to provide mobility of a network device Docket No. CISCP226/4185 Page 7 of 9 Elise R. Heilbrunn



Title: Methods and apparatus for using SCTP to provide mobility of a network device Docket No. CISCP226/4185
Page 8 of 9

Elise R. Heilbrunn (510) 663-1100




FIG. 10



